

| ※ 著者 | 出版年 | 論文名 | 雑誌名 | 巻 | ページ |
|---|------|---|--|----------------|---------------------|
| * Aoki, W., Suda, T., Boyd, R. N., Kajino, T., Famiano, M. A.: | 2013 | New Insights into the Astrophysical r-Process | ApJL | 766 | 13 |
| Aunai, N., Hesse, M., Zenitani, S., Kuznetsova, M., Black, C., Evans, R., Smets, R.: | 2013 | Comparison between hybrid and fully kinetic models of asymmetric magnetic reconnection: Coplanar and guide field configurations | Phys. Plasmas | 20 | 022902-022902-10 |
| * Brasser, R., Ida, S., Kokubo, E.: | 2013 | A Dynamical Study on the Habitability of Terrestrial Exoplanets -I. Tidally Evolved Planet-Satellite Pairs | MNRAS | 428 | 1673-1685 |
| Bufano, F et al. (including Tanaka, M.) : | 2012 | The Fast and Faint SN 2010bh Associated with GRB 100316D | ApJ | 753 | 67. |
| Cheoun, M. K., Ha, E., Hayakawa, T., Chiba, S., Nakamura, K., Kajino, T., Mathews, G. J.: | 2012 | Neutrino induced reactions related to the neutrino-process nucleosynthesis of ^{92}Nb and ^{98}Tc | Phys. Rev. C | 85 | 65807 |
| Cheoun, M. K., Ha, E., Kajino, T.: | 2012 | High-lying Excited States in Gamow Teller Strength and Their Roles on Neutrino Reactions | Europ. Phys. J. A | 48 | 137 |
| * Fujimoto, K., Sydora, R. D.: | 2012 | Plasmoid-induced turbulence in collisionless magnetic reconnection | Phys. Rev. Lett. | 109 | 265004-1 - 265004-5 |
| Furuya, K., Aikawa, Y., Tomida, K., Matsumoto, T., Saigo, K., Tomisaka, K., Hersant, F., and Wakelam, V.: | 2012 | Chemistry in the First Hydrostatic Core Stage by Adapting Three-Dimensional Radiation Hydrodynamic Simulations | ApJ | 758 | 86-105 |
| * Hamana, T., Oguri, M., Shirasaki, M., Sato, M.: | 2012 | Scatter and bias in weak lensing selected clusters | MNRAS | 425 | 2287-2298 |
| Holt, J.D., Otsuka, T., Schwenck, A., Suzuki, T.: | 2012 | Three-body forces and structure in calcium isotopes | Journal of Physics G | 39, 085111/1-7 | |
| * Ikoma, M., Hori, Y.: | 2012 | In Situ Accretion of Hydrogen-rich Atmospheres on Short-period Super-Earths: Implications for the Kepler-11 Planets | ApJ | 753 | 66(6pp) |
| Kamiya, Y., Tanaka, M., Nomoto, K., Blinnikov, S. I., Sorokina, E. I., Suzuki, T. : | 2012 | Super-Chandrasekhar- Mass Light Curve Models for the Highly Luminous Type Ia Supernova 2009dc | ApJ | 756 | 191. |
| * Kataoka, A., Machida, M N., Tomisaka, K.: | 2012 | Exploring Magnetic Field Structure in Star-Forming Cores with Polarization of Thermal Dust Emission | ApJ | 761 | 40-60 |
| Kawashima, T.; Ohsuga, K.; Mineshige, S.; Yoshida, T.; Heinzeller, D.; Matsumoto, R.: | 2012 | Comptonized Photon Spectra of Supercritical Black Hole Accretion Flows with Application to Ultraluminous X-Ray Sources | ApJ | 752 | 18-29 |
| Klimas, A., Hesse, M., Zenitani, S.: | 2012 | Particle-in-cell simulation of collisionless undriven reconnection with open boundaries | Phys. Plasmas | 19 | 042901-1-042901-12 |
| * Kokubo, E., Ida, S.: | 2012 | Dynamics and Accretion of Planetesimals | Progress of Theoretical and Experimental Physics | 01A308 | 23pp |
| * Kotake K., Takiwaki T., Harikae Seiji: | 2012 | Gravitational Wave Signatures of Hyperaccreting Collapsar Disks | ApJ | 755 | 14 pp |
| * Kotake, K., Takiwaki T., Yudai Suwa, Wakana Iwakami Nakano, Shio Kawagoe, Youhei Masada, Shin-ichiro Fujimoto: | 2012 | Multimessengers from Core-Collapse Supernovae: Multidimensionality as a Key to Bridge Theory and Observation, | Advances in Astronomy | 428757 | 46pp |
| * Kotake, K., Kohsuke Sumiyoshi, Shoichi Yamada, Tomoya Takiwaki, Takami Kuroda, Yudai Suwa, and Hiroki Nagakura: | 2012 | Core-collapse supernovae as supercomputing science: A status report toward six-dimensional simulations with exact Boltzmann neutrino transport in full general relativity | Progress of Theoretical and Experimental Physics | 01A301 | 34pp |
| Kuroda, T., Kotake, K., Takiwaki, T.: | 2012 | Fully General Relativistic Simulations of Core-collapse Supernovae with an Approximate Neutrino Transport | ApJ | 755 | 11 |
| * Kusakabe, M., Balantekin, A. B., Kajino, T., Pehlivan, Y.: | 2013 | Solution to Big-Bang Nucleosynthesis in Hybrid Axion Dark Matter Model | Phys. Lett. B | 718 | 704-708 |
| * Leinhardt, Z. M., Ogiwie, G. I., Latter, H. N., Kokubo, E.: | 2012 | Tidal Disruption of Satellites and Formation of Narrow Rings | MNRAS | 424 | 1419-1431 |
| Machida, M., Nakamura, K., Kudoh, T., Akahori, T., Sofue, Y., Matsumoto, R.: | 2013 | Dynamo Activities Driven by Magnetorotational Instability and the Parker Instability in Galactic Gaseous Disks | ApJ | 764 | 81 |
| Maruyama, T., Yasutake, N., Cheoun, M. K., Hidaka, J., Kajino, T., Mathews, G. J., Ryu, C. Y.: | 2012 | Relativistic mean-field treatment of pulsar kicks from neutrino propagation in magnetized proto-neutron stars | Phys. Rev. D | 86 | 123003 |

| | | | | | |
|---|------|--|---|-----|--------------|
| * Mathews, G. J., Kajino, T., Aoki, W., Fujiya, W.: | 2012 | Preference for an Inverted Neutrino Mass Hierarchy from Neutrino-Process Nucleosynthesis with Finite θ_{13} Mixing | Phys. Rev. D | 85 | 105023 |
| Melandri, A. et al. (including Tanaka, M.) : | 2012 | The Optical SN 2012bz Associated with the Long GRB 120422A | A&A | 547 | 82. |
| Misawa, Toru; Inada, Naohisa; Ohsga, K., Gandhi, Poshak; Takahashi, Rohta; Oguri, Masamune | 2013 | Spectroscopy along Multiple, Lensed Sight Lines through Outflowing Winds in the Quasar SDSS J1029+2623 | AJ | 145 | 48-59 |
| Moriya, T. J., Blinnikov, S. I., Tominaga, N., Yoshida, N., Tanaka, M., Maeda K., Nomoto, K. : | 2013 | Light Curve Modeling of Superluminous Supernova 2006gy: Collision between Supernova Ejecta and Dense Circumstellar Medium | MNRAS | 428 | 1020-1035. |
| Nakamura, F., Takakuwa, S., Kawabe, R. | 2012 | Substellar-mass Condensations in Prestellar Cores | ApJL | 758 | 25 (5pp) |
| * Nishimura, N., Kajino, T. , Mathews, G. J., Nishimura, S., Suzuki, T.: | 2012 | Impact of New β -decay Half-lives on r -process Nucleosynthesis | Phys. Rev. C | 85 | 48801 |
| Walsh, C., Millar, T.J., Nomura, H. | 2013 | Molecular Line Emission from a Protoplanetary Disk Irradiated Externally by a Nearby Massive Star | ApJL | 766 | 23 (8pp) |
| Ono M, Hashimoto M, Fujimoto S. Kotake K., Yamada S: | 2012 | Explosive Nucleosynthesis in Magnetohydrodynamical Jets from Collapsars. II --- Heavy-Element Nucleosynthesis of s, p, r-Processes | Progress of Theoretical Physics | 128 | 741-765 |
| Rapoport, S., Sim, S. A., Maeda, K., Tanaka, M., Kromer, M., Schmidt, B. P., Nomoto, K. : | 2012 | A theoretical color- velocity correlation for supernovae associated with gamma- ray bursts | ApJ | 759 | 38. |
| Ryu, C. Y., Maruyama, T., Kajino, T. , Mathews, G. J., Cheoun, M. K.: | 2012 | Spin change of a proto-neutron star by emission of neutrinos | Phys. Rev. C | 85 | 45803 |
| Ryu, C. Y., Cheoun, M. K., Kajino, T. , Maruyama, T., Mathews, G. J.: | 2012 | QHD description of the instability in strongly magnetized neutron stars | Astropart. Phys. | 38 | 25-30 |
| Sasano, M., Suzuki, T. et al., | 2012 | Excitation of Gamow-Teller distributions from ^{56}Ni and ^{55}Co via (p,n) reaction in inverse kinematics | Phys. Rev. C | 86 | 034324/1-1 |
| * Sato, B., Omiya, M., Harakawa, H., Izumiura, H., Kambe, E., Takeda, Y., Yoshida, M., Itoh, Y., Ando, H., Kokubo, E., Ida, S.: | 2012 | Substellar Companions to Seven Evolved Intermediate-Mass Stars | PASJ | 64 | 1-14 |
| * Sato, B., Omiya, M., Wittenmyer, R. A., Harakawa, H., Nagasawa, M., Izumiura, H., Kambe, E., Takeda, Y., Yoshida, M., Itoh, Y., Ando, H., Kokubo, E., Ida, S.: | 2013 | A Double Planetary System around the Evolved Intermediate-mass Star HD 4732 | ApJ | 762 | 9(7pp) |
| Sawai Hidetomo, Yamada Shoichi, Kotake K., Suzuki Hideyuki: | 2012 | Effects of Resistivity on Magnetized Core-collapse Supernovae | ApJ | 764 | 38 pp |
| Shigeyama, T., Suzuki, A., Nakamura, K. | 2012 | Early evolution of spherical ejecta expanding into the circumstellar matter at ultra-relativistic speeds | PASJ | 64 | 87 |
| Shinnaga, H., Novak G., Vaillancourt, J E., Machida M N., Kataoka, A., Tomisaka, K., Davidson, J., Phillips, T G., Dowell C. D., Leeuw, L., and Houde, M.: | 2012 | Magnetic Field in the Isolated Massive Dense Clump IRAS 20126+4104 | ApJL | 750 | 29-33 |
| Shirasaki, M., Yoshida, N., Hamana, T., Nishimichi, T.: | 2012 | Probing Primordial Non-Gaussianity with Weak Lensing Minkowski Functionals | ApJ | 760 | 45 |
| * Sotani, H., Nakazato, K., Iida, K., Oyamatsu, K.: | 2012 | Probing the Equation of State of Nuclear Matter via Neutron Star Asteroseismology | Phys. Rev. Lett. | 108 | 201101 (4pp) |
| * Sotani, H., Nakazato, K., Iida, K., Oyamatsu, K.: | 2013 | Effect of superfluidity on neutron star oscillations | MNRAS | 428 | L21-L25 |
| * Suzuki, T., Balantekin, A. B., Kajino, T.: | 2012 | Neutrino capture on ^{13}C | Phys. Rev. C | 86 | 15502 |
| Suzuki, T., Honma, M., Otsuka, T., Kajino, T.: | 2012 | Gamow-Teller Strengths in Ni Isotopes and Nuclear Weak Processes | Progress of Theoretical Physics, Suppl. | 196 | 382-38 |
| Suzuki, T. and Honma, M.: | 2013 | Neutrino capture reactions on ^{40}Ar | Phys. Rev. C | 87 | 014607/1-4 |
| Takahashi, Hiroyuki R.; Ohsga, K., Sekiguchi, Yuichiro; Inoue, Tsuyoshi; Tomida, Kengo: | 2012 | Explicit-Implicit Scheme for Relativistic Radiation Hydrodynamics | ApJ | 764 | 122-134 |
| * Tanaka, M., Kawabata, K. S., Hattori, T., Mazzali, P. A., Aoki, K., Iye, M., Maeda, K., Nomoto, K., Pian, E., Sasaki, T., Yamanaka, M.: | 2012 | Three- Dimensional Explosion Geometry of Stripped-Envelope Core- Collapse Supernovae. I. Spectropolarimetric Observations | ApJ | 754 | 63. |
| * Tanaka, M., Moriya, T. J., Yoshida, N. Nomoto, K.: | 2012 | Detectability of High-Redshift Superluminous Supernovae with Upcoming Optical and Near-Infrared Surveys | MNRAS | 422 | 2675-2684. |
| * Tanaka, M., Nozawa, T., Sakon, I., Onaka, T., Arimatsu K., Ohsawa, R., Maeda, K., Wada, T., Matsuhara, H., Kaneda, H.: | 2012 | A Search for Infrared Emission from Core-Collapse Supernovae at the Transitional Phase | ApJ | 749 | 173. |
| Tomida, K., Tomisaka, K., Matsumoto, T., Hori, Y., Okuzumi, S., Machida, M.N., Saigo, K.: | 2013 | Radiation Magnetohydrodynamic Simulations of Protostellar Collapse: Protostellar Core Formation | ApJ | 763 | 6-34 |

| | | | | | |
|--|------|---|---------------------|-----|-------------------------|
| Umabayashi, T., Katsuma, N., Nomura, H.: | 2013 | Effects of Dust Growth and Settling on the Ionization by Radionuclides. I. Formulation and Results in a Quiescent State of Protoplanetary Disks | ApJ | 764 | 104 (21pp) |
| Urata, Y. Tsai, P. P., Huang, K., Morokuma, T., Yasuda, N., Tanaka, M. , Motohara, K., Hayashi, M., Kashikawa, N. , Ly, C., Malkan, M A. : | 2012 | Unusual Long and Luminous Optical Transient in the Subaru Deep Field | ApJ | 760 | L11. |
| * Yamazaki, D. G. , Kusakabe, M.: | 2012 | Effects of power law primordial magnetic field on big bang nucleosynthesis | Phys. Rev. D | 86 | 123006-1-11 |
| * Yamazaki, D. G. , Kajino, T. , Mathew, G. J., Ichiki, K.: | 2012 | The Search for a Primordial Magnetic Field | Physics Reports | 517 | 141-167. |
| Yuan, C., Suzuki, T. , Otsuka, T., Xu, F., Tsunoda, N. | 2012 | Shell-model study of boron, carbon, nitrogen, and oxygen isotopes with monopole-based universal interaction | Phys. Rev. C | 85 | 064324/1-12 |
| * Zenitani, S. , Shinohara, I., Nagai, T.: | 2012 | Evidence for the dissipation region in magnetotail reconnection | Geophys. Res. Lett. | 39 | L111102-1- L111102-5 |